

- [91] Manning P, Gossner MM, Bossdorf O, Allan E, Zhang YY, Prati D, Blüthgen N, Boch S, Böhm S, Börschig C, Hölzel N, Jung K, Klaus VH, Klein AM, Kleinbecker T, Krauss J, Lange M, Müller J, Pašalić E, Socher SA, Tschapka M, Türke M, Weiner C, Werner M, Gockel S, Hemp A, Renner SC, Wells K, Buscot F, Kalko EKV, Linsenmair KE, Weisser WW, Fischer M (2015) Grassland management intensification weakens the associations among the diversities of multiple plant and animal taxa. **Ecology** 96: 1492–1501
- [90] Junker RR, Blüthgen N, Keller A (2015) Functional and phylogenetic diversities of plant communities differently affect the structure of flower-visitor interactions and reveal convergences in floral traits. **Evolutionary Ecology** 29: 437-450
- [89] Mangels J, Blüthgen N, Frank K, Grassein F, Hilpert A, Mody K (2015) Tree species composition and harvest intensity affect herbivore density and leaf damage on beech, *Fagus sylvatica*, in different landscape contexts. **PLoS One** 10: e0126140
- [88] Leonhardt SD, Wallace H, Blüthgen N, Wenzel F (2015) Potential role of environmentally derived cuticular compounds in stingless bees. **Chemoecology** 25: 159-167
- [87] Maglianesi MA, Blüthgen N, Böhning-Gaese K, Schleuning M (2015) Functional structure and specialization in three tropical plant-hummingbird interaction networks across an elevational gradient in Costa Rica. **Ecography** DOI: 10.1111/ecog.01538
- [86] Staab M, Blüthgen N, Klein AM (2015) Tree diversity alters the structure of a tri-trophic network in a biodiversity experiment. **Oikos** DOI: 10.1111/oik.01723
- [85] Houadria M, Salas-Lopez A, Orivel J, Blüthgen N, Menzel F (2015) Dietary and temporal niche differentiation in species-rich assemblages – can they explain local tropical ant coexistence? **Biotropica** 47: 208-217
- [84] Renoult JP, Blüthgen N, Binkenstein J, Weiner CN, Werner M, Schaefer HM (2015) The relative importance of color signaling for plant generalization in pollination networks. **Oikos** 124: 347-354
- [83] Maglianesi MA, Blüthgen N, Böhning-Gaese K, Schleuning M (2014) Morphological traits determine specialization and resource use in plant-hummingbird networks in the Neotropics. **Ecology** 95: 3325-3334
- [82] Allan E, Bossdorf O, Dormann CF, Prati D, Gossner M, Tschardt T, Blüthgen N, Barto K, Bellach M, Birkhofer K, Boch S, Böhm S, Börschig C, Chatzinotas A, Christ S, Daniel R, Diekötter T, Fischer C, Friedl T, Glaser K, Hallmann C, Hodac L, Hölzel N, Jung K, Klein AM, Klaus VH, Kleinbecker T, Krauss J, Lange M, Morris EK, Müller J, Nacke H, Pašalić E, Rillig MC, Rothenwöhler C, Schall P, Scherber C, Schulze W, Socher SA, Steckel J, Steffan-Dewenter I, Türke M, Weiner CN, Werner M, Westphal C, Wolters V, Wubet T, Gockel S, Gorke M, Hemp A, Renner SC, Schöning I, Pfeiffer S, König-Ries B, Buscot F, Linsenmair KE, Schulze ED, Weisser WW, Fischer M (2014) Inter-annual variation in land-use intensity enhances grassland multidiversity. **Proceedings of the National Academy of Sciences USA** 111: 308-313
- [81] Benadi G, Hovestadt T, Poethke HJ, Blüthgen N (2014) Specialization and phenological synchrony of plants and pollinators along an altitudinal gradient. **Journal of Animal Ecology** 83: 639-650
- [80] Weiner CN, Werner M, Linsenmair KE, Blüthgen N (2014) Land use impacts on mutualistic networks: disproportional declines in specialized pollinators via changes in flower composition. **Ecology** 95: 466-474
- [79] Bohan DA, Raybould A, Mulder C, Woodward G, Tamaddoni-Nezhad A, Blüthgen N, Pocock MJO, Muggleton S, Evans DM, Astegiano J, Massol F, Loeuille N, Petit S, Macfadyen S (2013). Networking agroecology: integrating the diversity of agroecosystem interactions. In: Woodward G,

- Bohan DA (eds.) Ecological Networks in an Agricultural World. **Advances in Ecological Research** 49: 1-67
- [78] Menzel F, Blüthgen N, Tolasch T, Conrad J, Beifuß U, Beuerle T, Schmitt T (2013) Crematoenones - a novel substance class exhibited by ants functions as appeasement signal. **Frontiers in Zoology** 10: 32
- [77] Albrecht J, Berens DG, Blüthgen N, Jaroszewicz B, Selva N, Farwig N (2013) Logging and forest edges reduce redundancy in plant–frugivore networks in an old-growth European forest. **Journal of Ecology** 101: 990-999
- [76] Chrobock T, Weiner CN, Werner M, Blüthgen N, Fischer M, van Kleunen M (2013) Effects of native pollinator specialization, self-compatibility and flowering duration of European plant species on their invasiveness elsewhere. **Journal of Ecology** 101: 916-923
- [75] Benadi G, Blüthgen N, Hovestadt T, Poethke HJ (2013) When can plant-pollinator interactions promote plant diversity? **American Naturalist** 182: 131-146
- [74] Benadi G, Blüthgen N, Hovestadt T, Poethke HJ (2013) Contrasting specialization–stability relationships in plant–animal mutualistic systems. **Ecological Modelling** 258: 65-73
- [73] Junker RR, Blüthgen N, Brehm T, Binkenstein J, Paulus J, Schaefer M, Stang M (2013) Specialisation on traits as basis for the niche-breadth of flower visitors and as structuring mechanism of ecological networks. **Functional Ecology** 27: 329-341
- [72] Schleuning M, Fründ J, Klein AM, Abrahamczyk S, Alarcón R, Albrecht M, Andersson GKS, Bazarian S, Böhning-Gaese K, Bommarco R, Dalsgaard B, Dehling DM, Gotlieb A, Hagen M, Hickler T, Holzschuh A, Kaiser-Bunbury CN, Kreft H, Morris RJ, Sandel B, Sutherland WJ, Svenning JC, Tscharrntke T, Watts S, Weiner CN, Werner M, Williams NM, Winqvist C, Dormann CF, Blüthgen N (2012) Specialization of mutualistic interaction networks decreases towards tropical latitudes. **Current Biology** 22: 1925-1931
- [71] Polidori C, Santoro D, Blüthgen N (2012) Does prey mobility affect niche width and individual specialization in hunting wasps? A network-based analysis. **Oikos** 122: 385-394
- [70] Blüthgen N, Dormann CF, Prati D, Klaus VH, Kleinebecker T, Hölzel N, Alt F, Boch S, Gockel S, Hemp A, Müller J, Nieschulze J, Renner SC, Schöning I, Schumacher U, Socher SA, Wells K, Birkhofer K, Buscot F, Oelmann Y, Rothenwöhler C, Scherber C, Tscharrntke T, Weiner CN, Fischer M, Kalko EKV, Linsenmair KE, Schulze ED, Weisser WW (2012) A quantitative index of land-use intensity in grasslands: integrating mowing, grazing and fertilization. **Basic and Applied Ecology** 13: 207-220
- [69] Leonhardt SD, Blüthgen N (2012) The same, but different: pollen foraging in honeybee and bumblebee colonies. **Apidologie** 43: 449-464
- [68] Benadi G, Blüthgen N, Hovestadt T, Poethke HJ (2012) Population dynamics of interacting plant and pollinator communities: stability reconsidered. **American Naturalist** 179: 157-168
- [67] Menzel F, Staab M, Chung AYC, Gebauer G, Blüthgen, N (2012) Trophic ecology of parabiocotic ants: Do the partners have similar food niches? **Austral Ecology** 37: 537-546
- [66] Klaus VH, Kleinebecker T, Hölzel N, Blüthgen N, Boch S, Müller J, Socher S, Prati D, Fischer M (2011) Nutrient concentrations and fibre contents of plant community biomass reflect species richness patterns along a broad range of land-use intensities in agricultural grasslands. **Perspectives in Plant Ecology, Evolution and Systematics** 13: 287-295
- [65] Leonhardt SD, Form S, Blüthgen N, Schmitt T, Feldhaar H (2011) Genetic relatedness and chemical profiles in an unusually peaceful eusocial bee. **Journal of Chemical Ecology** 37: 1117-1126

- [64] Leonhardt SD, Schmitt T, Blüthgen N (2011) Tree resin composition, collection behavior and selective filters shape chemical profiles of tropical bees (Apidae: Meliponini). ***PLoS One*** 6: e23445
- [63] Junker R, Loewel C, Gross R, Dötterl S, Keller A, Blüthgen N (2011) Composition of epiphytic bacterial communities differs on petals and leaves. ***Plant Biology*** 13: 918–924
- [62] Leonhardt SD, Blüthgen N & Schmitt T (2011) Chemical profiles of body surfaces and nests from six Bornean stingless bee species. ***Journal of Chemical Ecology*** 37: 98–104
- [61] Bleil R, Blüthgen N, Junker RR (2011) Ant-plant mutualism in Hawai'i? Invasive ants reduce flower parasitism but also exploit floral nectar of the endemic shrub *Vaccinium reticulatum* (Ericaceae). ***Pacific Science*** 65: 291–300
- [60] Junker RR, Bretscher S, Dötterl S, Blüthgen N (2011) Phytochemical cues affect hunting site choices of a nursery web spider (*Pisaura mirabilis*) but not of a crab spider (*Misumena vatia*). ***Journal of Arachnology*** 39: 113–117
- [59] Junker RR, Daehler CC, Dötterl S, Keller A, Blüthgen N (2011) Hawaiian ant-flower networks: nectar-thieving ants prefer undefended native over introduced plants with floral defenses. ***Ecological Monographs*** 81: 295–311
- [58] Blüthgen N, Klein AM (2011) Functional complementarity and specialisation: The role of biodiversity in plant-pollinator interactions. ***Basic and Applied Ecology*** 12: 282–291
- [57] Weiner CN, Werner M, Linsenmair KE, Blüthgen N (2011) Land use intensity in grasslands: changes in biodiversity, species composition and specialisation in flower-visitor networks. ***Basic and Applied Ecology*** 12: 292–299
- [56] Schleuning M, Blüthgen N, Flörchinger M, Braun J, Schaefer HM, Böhning-Gaese K (2011) Specialization and interaction strength in a tropical seed-dispersal network differ among forest strata. ***Ecology*** 92: 26–36
- [55] Drescher J, Feldhaar H, Blüthgen N (2011) Interspecific aggression, resource monopolization and ecological dominance of *Anoplolepis gracilipes* within an ant community in Malaysian Borneo. ***Biotropica*** 43: 93–99
- [54] Junker RR, Bleil R, Daehler CC, Blüthgen N (2010) Intrafloral resource partitioning between endemic and invasive flower visitors: consequences for pollinator effectiveness. ***Ecological Entomology*** 35: 760–767
- [53] Drescher J, Blüthgen N, Schmitt T, Bühler J, Feldhaar H (2010) Societies drift apart: behavioural, genetic and chemical differentiation between supercolonies in the yellow crazy ant *Anoplolepis gracilipes*. ***PLoS One*** 5: e13581
- [52] Menzel F, Woywod M, Blüthgen N, Schmitt T (2010) Behavioural and chemical mechanisms behind a Mediterranean ant-ant association. ***Ecological Entomology*** 35: 711–720
- [51] Junker RR, Heidinger IMM, Blüthgen N (2010) *Metrioptera bicolor* (Ensifera, Tettigoniidae, Decticinae) prefers leaves over petals: are flowers chemically defended? ***Journal of Orthoptera Research*** 19: 69–74
- [50] Leonhardt SD, Zeilhofer S, Blüthgen N, Schmitt T (2010) Stingless bees use terpenes as olfactory cues to find resin sources. ***Chemical Senses*** 35: 603–611
- [49] Menzel F, Pokorny T, Blüthgen N, Schmitt T (2010) Trail-sharing among tropical ants: interspecific use of trail pheromones? ***Ecological Entomology*** 35: 495–503
- [48] Leonhardt SD, Jung L-M, Schmitt T, Blüthgen N (2010) Terpenoids tame aggressors: chemical appeasement and communal nesting in eusocial stingless bees. ***Behavioral Ecology and Sociobiology*** 64: 1415–1423

- [47] Junker RR, Höcherl N & Blüthgen N (2010) Responses to olfactory signals reflect network structure of flower-visitor interactions. **Journal of Animal Ecology** 79: 818–823
- [46] Junker RR & Blüthgen N (2010) Floral scents repel facultative flower visitors, but attract obligate ones. **Annals of Botany** 105: 777–782
- [45] Fründ J, Linsenmair KE, Blüthgen N (2010) Pollinator diversity and specialization in relation to flower diversity. **Oikos** 119: 1581–1590
- [44] Blüthgen N (2010) Why network analysis is often disconnected from community ecology: A critique and an ecologist's guide. **Basic and Applied Ecology** 11: 185–195
- [43] Dworschak K, Blüthgen N (2010) Networks and dominance hierarchies: does interspecific aggression explain flower partitioning among stingless bees? **Ecological Entomology** 35: 216–225
- [42] Weiner CN, Hilpert A, Werner M, Linsenmair KE, Blüthgen N (2010) Pollen amino acids and flower specialisation in solitary bees. **Apidologie** 41: 476–487
- [41] Menzel F, Blüthgen N (2010) Parabirotic associations between tropical ants: equal partnership or parasitic exploitation? **Journal of Animal Ecology** 79: 71–81
- [40] Blüthgen N, Feldhaar H (2010) Food and shelter: how resources influence ant ecology. In: Lach L, Parr C, Abbott K (eds.) **Ant ecology**. Oxford University Press, Oxford, pp. 115–136
- [39] Feldhaar H, Gebauer G, Blüthgen N (2009) Stable isotopes: past and future in exposing secrets of ant nutrition (Hymenoptera: Formicidae). **Myrmecological News** 13: 3–13
- [38] Leonhardt SD, Blüthgen N, Schmitt T (2009) Smelling like resin: terpenoids make up for species-specific cuticular profiles in Southeast-Asian stingless bees. **Insectes Sociaux** 56: 157–170
- [37] Leonhardt SD, Blüthgen N (2009) A sticky affair: resin collection by Bornean stingless bees. **Biotropica** 41: 730–736
- [36] Menzel F, Schmitt T, Blüthgen N (2009) Intraspecific nestmate recognition in two parabirotic ant species: acquired recognition cues and low inter-colony discrimination. **Insectes Sociaux** 56: 251–260
- [35] Vázquez DP, Blüthgen N, Cagnolo L, Chacoff N (2009) Uniting pattern and process in plant-animal mutualistic networks: a review. **Annals of Botany** 103: 1445–1457
- [34] Dormann CF, Fründ J, Blüthgen N, Gruber B (2009) Indices, graphs and null models: analysing bipartite ecological networks. **The Open Ecology Journal** 2: 7–24.
- [33] Ings TC, Montoya JM, Bascompte J, Blüthgen N, Brown L, Dormann CF, Edwards F, Figueroa D, Jacob U, Jones JI, Lauridsen RB, Ledger ME, Lewis HM, Olesen JM, Van Veen FJ, Warren PH, Woodward G (2009) Ecological networks - beyond food webs. **Journal of Animal Ecology** 78: 253–269
- [32] Menzel F, Blüthgen N, Schmitt T (2008) Tropical parabirotic ants: Highly unusual cuticular substances and low interspecific discrimination. **Frontiers in Zoology** 5:16
- [31] Blüthgen N, Fründ J, Vázquez DP, Menzel F (2008) What do interaction network metrics tell us about specialization and biological traits? **Ecology** 89: 3387–3399
- [30] Junker RR, Itioka T, Bragg PE, Blüthgen N (2008) Feeding preferences of phasmids (Insecta: Phasmida) in a Bornean dipterocarp forest. **Raffles Bulletin of Zoology** 56: 235–242
- [29] Junker RR, Blüthgen N (2008) Signals that attract mutualists but repel enemies: floral scents as defense against ants. **Evolutionary Ecology Research** 10: 295–308

- [28] Lehmborg L, Dworschak K, Blüthgen N (2008) Defensive behavior and chemical deterrence against ants in the stingless bee genus *Trigona* (Apidae, Meliponini). **Journal of Apicultural Research** 47: 17–21
- [27] Menzel F, Linsenmair KE, Blüthgen N (2008) Selective interspecific tolerance in tropical *Crematogaster* – *Camponotus* associations. **Animal Behaviour** 75: 837–846
- [26] Blüthgen N, Metzner A (2007) Contrasting leaf age preferences of specialist and generalist phasmids. **Oikos** 116: 1853–1862
- [25] Jordan R, Blüthgen N (2007) No evidence for a dominance-discovery trade-off among *Formica pratensis* colonies (Hymenoptera: Formicidae). **Myrmecological News** 10: 7–10
- [24] Schmit-Neuerburg V, Blüthgen N (2007) Ant gardens protect epiphytes against drought in a Venezuelan lowland rain forest. **Ecotropica** 13: 93–100
- [23] Mezger D, Blüthgen N (2007) Trophobioses on Borneo climbing bamboo – diversity and ecology of ant-hemipteran associations on *Dinochloa trichogona* (Poaceae). **Asian Myrmecology** 1: 59–68
- [22] Vázquez DP, Melián CJ, Williams NM, Blüthgen N, Krasnov BR, Poulin R (2007) Species abundance and asymmetric interaction strength in ecological networks. **Oikos** 116: 1120–1127
- [21] Blüthgen N, Menzel F, Hovestadt T, Fiala B, Blüthgen N (2007) Specialization, constraints, and conflicting interests in mutualistic networks. **Current Biology** 17: 341–346
- [20] Drescher J, Blüthgen N, Feldhaar H (2007) Population structure and intraspecific aggression in the invasive ant species *Anoplolepis gracilipes* in Malaysian Borneo. **Molecular Ecology** 16: 1453–1465
- [19] Junker R, Chung AYC, Blüthgen N (2007) Interaction between flowers, ants and pollinators: additional evidence for floral repellence against ants. **Ecological Research** 22: 665–670
- [18] Blüthgen N, Stork NE (2007). Ant mosaics in a tropical rainforest in Australia and elsewhere: a critical review. **Austral Ecology** 32: 93–104
- [17] Leonhardt SD, Dworschak K, Eltz T, Blüthgen N (2007) Foraging loads of stingless bees and utilisation of stored nectar for pollen harvesting. **Apidologie** 38: 125–135
- [16] Blüthgen N, Menzel F, Blüthgen N (2006) Measuring specialization in species interaction networks. **BMC Ecology** 6: 9
- [15] Feldhaar H, Drescher J, Blüthgen N (2006) Characterization of microsatellite markers for the invasive ant species *Anoplolepis gracilipes*. **Molecular Ecology Notes** 6: 912–914
- [14] Blüthgen N, Mezger D, Linsenmair KE (2006) Ant-hemipteran trophobioses in a Bornean rainforest – diversity, specificity and monopolisation. **Insectes Sociaux** 53: 194–203
- [13] Blüthgen N, Metzner A, Ruf D (2006) Food plant selection by stick insects (Phasmida) in a Bornean rain forest. **Journal of Tropical Ecology** 22: 35–40
- [12] Blüthgen N, Stork NE, Fiedler K (2004) Bottom-up control and co-occurrence in complex communities: honeydew and nectar determine a rainforest ant mosaic. **Oikos** 106: 344–358
- [11] Blüthgen N, Gottsberger G, Fiedler K (2004) Sugar and amino acid composition of ant-attended nectar and honeydew sources from an Australian rainforest. **Austral Ecology** 29, 418–429
- [10] Blüthgen N, Fiedler K (2004) Competition for composition: lessons from nectar-feeding ant communities. **Ecology** 85, 1479–1485
- [09] Blüthgen N, Fiedler K (2004) Preferences for sugars and amino acids and their conditionality in a diverse nectar-feeding ant community. **Journal of Animal Ecology** 73: 155–166

- [08] Carver M, Blüthgen N, Grimshaw J, Bellis G (2003) *Aphis clerodendri* Matsumura (Hemiptera: Aphididae), attendant ants (Hymenoptera: Formicidae) and associates on *Clerodendrum* (Verbenaceae) in Australia. ***Australian Journal of Entomology*** 42: 109–113
- [07] Blüthgen N, Gebauer G, Fiedler K (2003) Disentangling a rainforest food web using stable isotopes: dietary diversity in a species-rich ant community. ***Oecologia*** 137: 426–435
- [06] Blüthgen N, Reifenrath K (2003) Extrafloral nectaries in an Australian rainforest – structure and distribution. ***Australian Journal of Botany*** 51: 515–527
- [05] Blüthgen N, Fiedler K (2002) Interactions between weaver ants (*Oecophylla smaragdina*), homopterans, trees and lianas in an Australian rainforest canopy. ***Journal of Animal Ecology*** 71: 793–801
- [04] Blüthgen N, Wesenberg J (2001) Ants induce domatia in a rain forest tree (*Vochysia vismiaefolia*). ***Biotropica*** 33: 637–642
- [03] Blüthgen N, Schmit-Neuerburg V, Engwald S, Barthlott W (2001) Ants as epiphyte gardeners – comparing the nutrient quality of ant and termite canopy substrates in a Venezuelan lowland rain forest. ***Journal of Tropical Ecology*** 17: 887–894
- [02] Blüthgen N, Verhaagh M, Goitía W, Jaffé K, Morawetz W, Barthlott W (2000) How plants shape the ant community in the Amazonian rainforest canopy: the key role of extrafloral nectaries and homopteran honeydew. ***Oecologia*** 125: 229–240
- [01] Blüthgen N, Verhaagh M, Goitía W, Blüthgen N (2000) Ant nests in tank bromeliads – an example of non-specific interaction. ***Insectes Sociaux*** 47: 313–316

Not peer-reviewed:

Blüthgen N, Chung AYC (2008) Ants in a Bornean rainforest: aggressive resource defence and a surprising case of tolerance. ***Antenna*** 32: 38–47.

Blüthgen N (2014) Auswirkung der Landnutzung auf Bestäubernetzwerke. – In: Bayer. Akademie der Wissenschaften (Hrsg.): Soziale Insekten in einer sich wandelnden Welt. ***Rundgespräche der Kommission für Ökologie***, 43. Verlag Pfeil, München: 99–109.